above line 6, insert

-- Description of the Related Art--;

in lines 6-7, cancel "[1] and/or [2]" and substitute --G. Deco, C. Schittenkopf and B. Schürmann, "Determining the information flow of dynamical systems from continuous probability distributions", Phys. Rev. Lett. 78, pages 2345-2348, 1997 (Deco), and C. Schittenkopf and G. Deco, "Testing non-linear Markovian hypotheses in dynamical systems", Physica D104, pages 61-74, 1997 (Schittenkopf)-- therefor;

in line 8, after "flow", insert --described in these references-- therefor; in line 11, cancel "the" and substitute --such an-- therefor, and cancel "comprised therein";

in line 12, cancel "this leading thereto that" and substitute --allowing--therefor;

in line 13, cancel "is" and substitute --to be-- therefor;

in line 14, cancel "[3]" and substitute -- J. Herz, A. Krogh, R. Palmer,

"Introduction to the Theory of neural computation", Addison-Wesley, 1991

(Herz)--therefor;

above line 15, insert -- SUMMARY OF THE INVENTION --;

in line 15, cancel "comprised in specifying" and substitute --to provide--

20 therefor;

in lines 15-16, cancel ", first,", and before "implements", insert --then--;

cancel line 18, and substitute - This object is achieved by an arrangement for predicting an abnormality of a dynamic system and for implementing an action opposing the abnormality, comprising:

25

5

10

15

- a) a measured data pick-up that registers comparison measured data of the system and test measured data of the system;
- b) a processor unit, having a neural network that models the system, the processor:
 - (1) training the neural network using the comparison measured data;

30

(2) determining a comparison information flow that describes a

comparison dynamic of the system using the trained neural network; (3) determining a test information flow that describes a test 5 dynamic of the system using the test measured data; (4) using the comparison information flow and of the test information flow, predicting the abnormality as established when the comparison information flow differs significantly from the test information flow and 10 predicting the abnormality as not established when the comparison information flow does not significantly differ from the test information flow; (5) when the abnormality of the system has been predicted as established, then implementing the action; and c) an actuator that implements the action. 15 This object is also achieved by a method for predicting an abnormality of a dynamic system and for implementing an action opposing the abnormality, comprising the steps of: a) measuring comparison measured data of the system and test measured 20 data of the system; b) determining a neural network that models the system using of the comparison measured data; c) determining a comparison information flow that describes a comparison dynamic of the system using the neural network; 25 d) determining a test information flow that describes a test dynamic of the system using the test measured data; e) comparing the comparison information flow to the test information flow using the comparison information flow and of the test information

flow;

f) determining the abnormality to be predicted as established when the

comparison information flow differs significantly from the test

	from the test information flow therefor;
25	the comparison information flow does not significantly differ
	f) determining the abnormality to be predicted as not established when
	information flow,
	comparison information flow differs significantly from the test
	e) determining the abnormality to be predicted as established when the
20	information flow,
	flow using the comparison information flow and of the test
	d) comparing the comparison information flow to the test information
	the system] using the test measured data;
	c) determining a test information flow that describes a test dynamic of
15	measured data;
	comparison dynamic of the system using the comparison
	b) determining a comparison information flow that describes a
	a) measuring comparison measured data of the system and test measured data of the system;
	a) measuring comparison measured data of the system and test
10	abnormality of a dynamic system, comprising the steps of:
	Finally, this object is achieved by a method for predicting an
	predicted as established.
	h) implementing the action when the abnormality of the system has been
	test information flow; and
5	comparison information flow does not significantly differ from the
	g) determining the abnormality to be predicted as not established when the
	information flow;

in line 21, cancel "is provided therein";

5

10

15

20

25

in line 22, cancel "unit is configured such that" and substitute --implements- therefor, and cancel "are implemented";

in line 24, cancel "employed in order" and substitute --used-- therefor;

in line 27, cancel ";" and substitute --.-- therefor; and

in line 28, cancel "an" and substitute -- An-- therefor, and cancel "thereby provided dependent" and substitute -- provided in the arrangement that depends-- therefor;

On page 2:

in line 1, before "systematic", insert --to provide--, and cancel "and" and substitute --,-- therefor;

from it and to determine a quantity-- therefor;

in line 3, after "quantity", insert --)--;

in line 4, cancel "attack on" and substitute --abnormality in-- therefor;

in line 10, cancel "adequately general in order" and substitute --be general enough-- therefor;

in line 19, cancel "It is thereby to be taken into consideration" and substitute --One also considers-- therefor;

in line 21, cancel ", this being" and substitute --; this is-- therefor, and after "i.e.", insert --,--;

in line 22, cancel ",";

in line 23, cancel "is comprised therein that the" and substitute endlessly loops through-- therefor;

in line 24, cancel "form an endless loop";

in line 25, cancel "comprised therein that" and substitute --deals with the situation where-- therefor;

in line 26, after "dynamic", insert --value--;
in line 27, cancel "comprised in" and substitute --comprised of-- therefor;
in line 28, cancel "the noise" and substitute --this noise-- therefor; and
in line 30, cancel "thereby" and cancel "on the basis of" and substitute -using-- therefor.

On page 3:

in line 1, cancel "is comprised therein that" and substitute --deals with a situation where-- therefor;

in line 2, after "dynamic", insert --value--;

cancel line 3 and substitute - The system may be excited, in reaction, with a

regular signal. This can-- therefor;

in line 4, cancel "ensue" and substitute --take place-- therefor;

in line 5, cancel "on the basis of" and substitute --using-- therefor;

cancel line 9 and substitute \-Developments of the invention are discussed

15 \below.--

above line 10, insert --BRIEF DESCRIPTION OF THE DRAWINGS --; cancel line 12;

in line 13, after "Figure 1", insert --is a block diagram showing--;

in line 15, after "Figure 2", insert --is a block diagram showing--, and cancel "al" and substitute --, an-- therefor;

in line 17, before "steps", insert --is a flowchart showing-- and cancel "the"; above line 18, insert --DESCRIPTION OF THE PREFERRED

EMBODIMENTS--; and

in line 23, cancel "and processed thereat" and substitute --where they are processed--.

10

20

25

5

On page 4:

in line 1, cancel "Let it thereby be noted that the" and substitute -- The-therefor;

in lines 7-8, cancel "Via the interface 201, this" and substitute -- This-therefor:

in line 8, after "PRE", insert --, via the interface 201,--;

in line 10, cancel "Further" and substitute --Furthermore-- therefor, and cancel "AKT2," and substitute -- AKT2. -- therefor;

in line 11, cancel "this" and substitute -- This-- therefor, and cancel "applying" and substitute --applies-- therefor;

in line 12, cancel "thereby";

cancel lines 17-25 and substitute

A neural network NN is trained as follows. Both comparison data and test data are measured using the measured data pick-up MDA in process 302. The neural network NN is modeled based on the comparison measured data in process 304. This modeling is used to demarcate normal operation from abnormal operation, and permits a later determination of whether newly measured data indicates an abnormality in the system. After the end of the training, information flows according to Deco or Schittenkopf are evaluated. A comparison information flow describing a comparison dynamic of the system is determined using the trained neural network NN in process 306. A test information flow describing a test dynamic of the system is determined using the test measured data in process 308. A comparison as to whether the test information flow differs significantly, according to some predetermined criteria, from the comparison information flow is performed in decision 310. If the comparison difference is significant, this is indicative of an abnormality that is predicted--such an abnormality of the system can be indicated on the basis of this information flow before the occurrence of this abnormality. When a predicted abnormality is established, an action that opposes an occurrence of the abnormality is implemented in process 312, and a branch is made preferably to process 306. If the comparison difference is not significant,

20

5

10

15

30

25

corti

10

15

20

25

then the predicted abnormality is not established, and no action is implemented; a branch is made preferably to process 306. therefor;

in line 26, cancel "these illustrating" and substitute --that illustrate--therefor.

5 **On page 5:**

in line 3, cancel "is comprised therein that" and substitute --occurs when-therefor;

in line 5, before "training", insert --the--, and cancel "It should";

in line 6, cancel "thereby be noted that the" and substitute -- The-- therefor,

in line 7, cancel "at the" and substitute -- at a particular -- therefor;

in line 9, cancel "the person" and substitute --a person,--, cancel "should" and substitute --, are--, and cancel "be";

in line 17, cancel ", preferably the human brain," and substitute --(e.g., a human brain)-- therefor;

in line 19, cancel "thereto. Thus, an" and substitute --to them. An--therefor;

in line 22, cancel "thereto" and substitute --to this-- therefor;

in line 23, after "i.e.", insert --,--;

in line 30, cancel "We shall turn to the" and substitute -- The-- therefor; and cancel line 31 and substitute + attack is presented below for more in-depth

\ discussion-- therefor.

AIC

On page 6:

in line 3, cancel "[2]" and substitute --Schittenkopf-- therefor;

in line 4, cancel "form" and substitute --from-- therefor;

in line 5, cancel "surround of the" and substitute -- area of -- therefor;

in line 11, cancel "whereby" and substitute --where-- therefor;

in line 12, cancel "..." and substitute $-x_{t-1},...,x_{t-n}$ -- therefor;

5

10

15

20

in line 16, cancel "[4]" and substitute +G. Deco, D. Obradovic, "An Information-Theoretic Approach to Neural Computing", Springer-Verlag, 1996, Chapter 7.2 (Obradovic)-- therefor; in line 18, cancel "whereby" and substitute --where-- therefor, and cancel "[sic]"; in line 23, cancel "thereto" and substitute --to it-- therefor; and in line 27, cancel "[2]" and substitute -- Schittenkopf-- therefor. On page 7: in line 1, cancel "[1] and [2]" and substitute -- Deco and Schittenkopf-therefor, and after "i.e.", insert --,--; in line 3, cancel "thus", and cancel "whereby" and substitute --where-therefor; in line 4, after "i.e.", insert --,--; in line 9, cancel "thereby to test" and substitute --to test, in this analysis,-therefor; in line 12, after "i.e.", insert --,--; in line 22, cancel "[5]" and substitute -B. Gluckmann, E. Neel, T. Netoff, W. Ditto, M. Spano, S. Schiff, "Electric field suppression of epiletiform activity in hippocampal slices", Journal of Neurophysiology 76, pages 4202-4205, 1996 (Gluckmann) -- therefor; in line 26, after "i.e.", insert --,--; and in line 27, cancel ", the brain in this case" and substitute -- (the brain, in this

On page 8:

case)-- therefor.

in line 7, after "brain,", insert --and--; in line 8, cancel "thus";

in line 9, cancel ", whereby" and substitute - by the inventive system in which-- therefor; in line 10, cancel "Dependent of" and substitute -- Depending on-- therefor; in line 11, cancel "is comprised" and substitute -- may be-- therefor, cancel the first "in" and after "chaotic", insert --field--; 5 in line 14, cancel "whereby" and substitute --in which-- therefor; in line 16, cancel "It is thereby expedient to" and substitute -- The methods then" therefor"; in line 18, before of the insert -- e.g., --; 10 in line 19, cancel "this" and substitute -- the abnormality-- therefor; in line 23, cancel "expedient" and substitute --necessary-- therefor; in line 26, after "example", insert --,--; in line 27, cancel "the greatest" and substitute --a great-- therefor, and cancel "whereby" and substitute -- and where-- therefor; and 15 below line 28, insert The above-described method is illustrative of the principles of the present invention. Numerous modifications and adaptions thereof will be readily apparent to those skilled in this art without departing from the spirit and scope of the present invention.--.

Delete page 9.

IN THE CLAIMS:

On substitute page 10:

line 1, replace "Patent Claims" with -- WHAT IS CLAIMED IS:--.